



UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/501,434	02/10/2000	John S. Lee	510.O30US1	3838
7:	590 12/28/2004		EXAMINER	
ATTN: DANIEL J. POLGLAZE			CHU, KIM KWOK	
LEFFERT JAY P.O. BOX 5810	' & POLGLAZE, P.A.		ART UNIT PAPER NUMBER	
	S, MN 55458-1009		2653	
			DATE MAILED: 12/28/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.



·			<i>∜h</i>
	Application No.	Applicant(s)	(J)
	09/501,434	LEE ET AL.	
Office Action Summary	Examiner	Art Unit	
	Kim-Kwok CHU	2653	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	vith the correspondence addres	SS
A SHORTENED STATUTORY PERIOD FOR RE	EPLY IS SET TO EXPIRE 3 N	MONTH(S) FROM	
THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, and If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by some any reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	DN. R 1.136(a). In no event, however, may a n. a reply within the statutory minimum of the ariod will apply and will expire SIX (6) MC	reply be timely filed irty (30) days will be considered timely. INTHS from the mailing date of this commu ABANDONED (35 U.S.C. § 133).	nication.
Status			
1) Responsive to communication(s) filed on A	Amendment filed on 11/12/20	<u>004</u> .	·
	This action is non-final.		
3) Since this application is in condition for allo			erits is
closed in accordance with the practice und	ler <i>Ex par</i> te Quayle, 1935 C.	D. 11, 453 O.G. 213.	
Disposition of Claims			
4) Claim(s) 2,4-8,10-12,28,29 and 31-34 is/ar	re pending in the application.		
4a) Of the above claim(s) is/are with			,
5) Claim(s) 2,4,8,10,12,28,29 and 31 is/are a	llowed.		
6)⊠ Claim(s) <u>5,7, 11 and 33</u> is/are rejected.			
7) Claim(s) <u>6, 32 and 34</u> is/are objected to.			
8) Claim(s) are subject to restriction a	nd/or election requirement.		
Application Papers			
9)☐ The specification is objected to by the Exar	miner.		
10)⊠ The drawing(s) filed on 19 April 2001 is/are	e: a)⊠ accepted or b)□ obj	ected to by the Examiner.	
Applicant may not request that any objection to			
Replacement drawing sheet(s) including the co			
11)☐ The oath or declaration is objected to by th	e Examiner. Note the attache	ed Office Action or form PTO-1	152.
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of:	eign priority under 35 U.S.C.	§ 119(a)-(d) or (f).	
 Certified copies of the priority document 		•	
2. Certified copies of the priority document		· ·	
3. Copies of the certified copies of the		n received in this National Sta	ge
application from the International Bu		at received	
* See the attached detailed Office action for a	a list of the certified copies no	n received.	
·			
Attachment(s)	🗖	· (DTO 442)	
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 		v Summary (PTO-413) o(s)/Mail Date	
 Notice of Draitsperson's Patent Drawing Review (P10-946) Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date 	~/	f Informal Patent Application (PTO-15	2)

Claim Objections

- 1. Claims 6, 11 and 32 are objected to because of the following informalities:
- (a) in claim 6, last second line, the term "tot" should be changed to --to--;
- (b) in claim 11, last second line, the term "disc try" should be changed to --disc tray--; and
- (c) in claim 32, line 2, the term "tot" should be changed to --to--.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. § 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 5, 11 and 33 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Balsom. (U.S. Patent 5,592,596)) in view of Hayashi et al. (U.S. Patent 6,304,525).

Balsom teaches a compact disc processing system very similar to that of the instant invention. For example, Balsom

teaches the following means and steps:

- (a) as in claim 5, a printer 50 for printing indicia on a first compact disc (Column 6, lines 17-20);
- (b) as in claim 5, a recorder 43 for recording information on the first compact disc (column 2, lines 9-12);
- (c) as in claim 5, a transporter carriage 45 for holding the first compact disc and moving the first compact disc to reach the recorder 43 (Fig. 1b);
- (d) as in claim 5, a plurality of disc trays 48 (Fig.1b); and
- (e) as in claim 5, a selection mechanism 45 coupled to the plurality of disc trays 48 for selectively moving the plurality of disc trays such that the first compact disc can be placed on the selected disc tray for temporary storage (Fig. 1b).

However, Balsom does not teach the following:

- (a) as in claim 5, the transporter carriage for holding the first compact disc and moving the first compact disc between the recorder and the printer;
- (b) as in claim 5, the transporter carriage comprises a single gripping head rotatable about a horizontal axis having first and second locations each for respectively gripping and directly holding the first and second compact disc simultaneously by the single gripping head;

- (c) as in claim 5, the first and second compact discs are held in fixed relative positions coextensive along a common axis in different planes while the first and second compact discs are engaged by the gripping head; and
- (d) as in claim 33, the gripping head 9 includes a motor 55 for selectively rotating the first compact disc about its axis (Fig. 4).

Hayashi teaches a disc inverting mechanism having above features. For example, Hayashi teaches the following:

- (a) a transporter carriage 8 for gripping the first compact disc and moving the first compact disc in both vertical and horizontal direction (Fig. 4);
- (b) the transporter carriage 8 comprises a single horizontally rotatable gripping head 9 having first and second locations each for respectively gripping and directly holding the first and second compact disc simultaneously by the single gripping head (Fig. 2);
- (c) the first and second compact discs are engaged by the gripping head 9 (Fig. 4);
- (d) the first and second compact discs are held in fixed relative positions while the first and second compact discs are engaged by the gripping head 9 (Fig. 4); and

(e) the gripping head 9 includes a motor 55 for selectively rotating the first compact disc about its axis (Fig. 4).

A typical disc labeling system such as Balsom's requires a disc conveying mechanism for transporting a selected disc from one location such as a recording means to another location such as a labeling means. For example, Hayashi uses a vertical and horizontal moveable transporter to convey and rotate a disc from one location to another location. Hence, when there is an advantage of simplifying the transportation mechanism of Balsom's labeling processes, it would have been obvious to one of ordinary skill in the art to use Hayashi's disc transporting and disc rotating means in Balsom's disc labeling processes, because Hayashi's transporter can select a disc from a plurality of disc storage means in one location and then move and flip over the selected disc to the printer similar to the claimed features.

Claim 11 has limitations similar to those treated in the above rejection, and is met by the references as discussed above. Claim 11 however also recites the following limitations:

(a) as in claim 11, the transporter carriage comprises a pickup arm and a gripping head attached to one end of the pickup arm (Fig. 2);

- (b) as in claim 11, the gripping head has first and second gripping locations each for respectively gripping the first and second compact discs simultaneously such that the first and second compact discs maintain a fixed axial position while encaged by the gripping head; and
- (c) the gripping head is rotatable about a horizontal axis of the pick up arm.

Hayashi teaches a disc gripping and inverting mechanism having above features. For example, Hayashi teaches the following:

- (a) as in claim 11, the transporter carriage 8 comprises a pickup arm 21 and a gripping head 9 attached to one end of the pickup arm (Fig. 4; frame 21 is the pickup arm holding the gripping head 9);
- (b) as in claim 11, the gripping head 9 has first and second gripping locations each for respectively gripping the first and second compact discs simultaneously such that the first and second compact discs maintain a fixed axial position while encaged by the gripping head (Figs. 4 and 5); and
- (c) as in claim 11, the gripping head 9 is rotatable about a horizontal axis of the pick up arm (Fig. 4).

4. Claim 7 is rejected under 35 U.S.C. 103 (a) as being unpatentable over Balsom. (U.S. Patent 5,592,596)) in view of Hayashi et al. (U.S. Patent 6,304,525).

Balsom teaches a compact disc processing system very similar to that of the instant invention. For example, Balsom teaches the following means and steps:

- (a) as in claim 7, a printer 50 for printing indicia on a first compact disc (Column 6, lines 17-20);
- (b) as in claim 7, a recorder 43 for recording information on the first compact disc (column 2, lines 9-12); and
- (c) as in claim 7, a transporter carriage 45 for gripping the first compact disc and moving the first compact disc to reach the recorder 43 (Fig. 1b; gripping means holding tight).

However, Balsom does not teach the following:

- (a) as in claim 7, the transporter carriage for holding the first compact disc and moving the first compact disc between the recorder and the printer;
- (b) as in claim 7, the transporter carriage comprises a single gripping head rotatable about a horizontal axis having first and second locations each for respectively gripping and directly holding the first and second compact disc simultaneously by the single gripping head;

- (c) as in claim 7, the first and second compact discs are held in fixed relative positions coextensive along a common axis in different planes while the first and second compact discs are engaged by the gripping head; and
- (d) as in claim 7, the gripping head includes a motor for selectively rotating the first compact disc about its axis.

Hayashi teaches a disc inverting mechanism having above features. For example, Hayashi teaches the following:

- (a) a transporter carriage 8 for gripping the first compact disc and moving the first compact disc in both vertical and horizontal direction (Fig. 4);
- (b) the transporter carriage 8 comprises a single horizontally rotatable gripping head 9 having first and second locations each for respectively gripping and directly holding the first and second compact disc simultaneously by the single gripping head (Fig. 2);
- (c) the first and second compact discs are engaged by the gripping head 9 (Fig. 4);
- (d) the first and second compact discs are held in fixed relative positions while the first and second compact discs are engaged by the gripping head 9 (Fig. 4); and
- (e) as in claim 7, the gripping head 9 includes a motor 55 for selectively rotating the first compact disc about its axis (Fig. 4).

A typical disc labeling system such as Balsom's requires a disc conveying mechanism for transporting a selected disc from one location such as a recording means to another location such as a labeling means. For example, Hayashi uses a vertical and horizontal moveable transporter to convey and rotate a disc from one location to another location. Hence, when there is an advantage of simplifying the transportation mechanism of Balsom's labeling processes, it would have been obvious to one of ordinary skill in the art to use Hayashi's disc transporting and disc rotating means in Balsom's disc labeling processes, because Hayashi's transporter can select a disc from a plurality of disc storage means in one location and then move and flip over the selected disc to the printer similar to the claimed features.

Allowable Subject Matter

- 5. Claims 2, 4, 8, 10, 12, 28, 29 and 31 are allowable over prior art.
- 6. Claims 6, 32 and 34 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 7. The following is an Examiner's statement of reasons for the indication of allowable subject matter based on the Amendment filed on November 12, 2004.

As in claims 2, 8, 12 and 34, the prior art of record fails to teach or fairly suggests the following features:

(a) a transporter carriage for gripping the first compact disc and moving the first compact disc between the recorder and printer, the transporter carriage comprises a single gripping head rotatable about a horizontal axis and having first and second gripping locations each for respectively gripping and directly holding the first and a second compact disc simultaneously by the single gripping head. such that the first and second compact discs are held in fixed relative positions coextensive along a common axis in different planes while the

first and second compact discs are engaged by the single gripping head; and

(b) the transporter carriage grips the first and second compact discs using a vacuum.

As in claims 6 and 32, the prior art of record fails to teach or fairly suggests that the compact disc processing system having the following features:

- (a) a transporter carriage for gripping the first compact disc and moving the first compact disc between the recorder and printer. the transporter carriage comprises a single gripping head rotatable about a horizontal axis and having first and second gripping locations each for respectively gripping and directly holding the first and a second compact disc simultaneously by the single gripping head. such that the first and second compact discs are held in fixed relative positions coextensive along a common axis in different planes while the first and second compact discs are engaged by the single gripping head; and
- (b) a supply location having a vertically extending rod sized to fit within a central opening provided in the first compact disc.

As in claim 10, the prior art of record fails to teach or fairly suggests that the compact disc processing system having the following features:

- (a) the transporter carriage is movable in both vertical and a horizontal directions to pick up one of the plurality of blank compact discs held at the supply locations the transporter carriage comprises a pickup arm and a gripping head attached to one end of the pickup arm, the gripping head has first and second gripping locations each for respectively gripping the first and second compact discs simultaneously such that the first and second compact discs maintain a fixed axial position while engaged by the gripping head, and the gripping head is rotatable about a horizontal axis of the pick up arm; and
- (b) a supply location having a vertically extending rod sized to fit within a central opening provided in the first compact disc.

As in claim 28, the prior art of record fails to teach or fairly suggests that a compact disc processing system having the following features:

(a) a transporter carriage moveable in both a horizontal and a vertical direction, the transporter carriage comprises a gripping head that is rotatable about a horizontal axis, the gripping head includes first and second gripping locations to respectively hold the first and a second compact disc on first and second parallel planes, wherein the first and second

compact discs maintain a fixed axial relation while engaged by the gripping head; and

(b) a vacuum pump coupled to the gripping head to selectively provide a vacuum to the first and second gripping locations.

As in claim 31, the prior art of record fails to teach or fairly suggests that a compact disc processing system having the following features:

- (a) a transporter carriage moveable in both a horizontal and a vertical direction's and a gripping head coupled to the transporter carriage and rotatable about a horizontal axis, the gripping head includes first and second griping locations to respectively hold the first and a second compact disc on first and second parallel planes the first gripping location comprises a centering feature to axially align the first compact disc with the first gripping locations wherein the first and second compact discs are held in fixed axial positions while the first and second compact discs are engaged by the gripping head; and
- (b) a plurality of deflectable fingers which extend from the gripping head.

The features indicated above, in combination with the other elements of the claims, are not anticipated by, nor made obvious over, the prior art of record.

8. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks Washington, D.C. 20231 Or faxed to:

(703) 872-9306 (for formal communications intended for entry. Or:

(703) 746-6909, (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2021 Crystal Drive, Arlington. VA., Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-4700.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kim CHU whose telephone number is (703) 305-3032 between 9:30 am to 6:00 pm, Monday to Friday.

ke 12/23/02

Kim-Kwok CHU Examiner AU2653 December 23, 2004

(703) 305-3032

WILLIAM KORZUCH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600